Cumulative Index 1981, 1982, and 1983

Volume 8, 9, and 10

SYMPOSIA

1981

February MALE SEXUAL DYSFUNCTION
June ADVANCES IN RENAL LITHIASIS
October HYPOSPADIAS

1982

February ENDOUROLOGY
June UROLOGIC EMERGENCIES
October CRYPTORCHIDISM

1983

February PERIOPERATIVE CARE OF THE UROLOGIC PATIENT
May RENAL TRANSPLANTATION
August COMPLICATIONS OF PEDIATRIC UROLOGIC SURGERY
November SURGERY OF STONE DISEASE

Note: The volume year is in *italic* type. Page numbers of symposium and article titles are in **boldface** type.

ABSCESS. See also *Infection* and under specific types, as Periurethral abscess.
  perinephric, *1982*: June, 225
  renal, acute, *1982*: June, 223
Acid-base balance, in parenteral nutrition, *1983*: Feb., 125
Acidosis, hyperchloremic, caused by ureterosigmoidostomy, *1983*: Aug., 478
  renal tubular, nephrolithiasis and, *1981*: June, 260
ACMI flexible nephroscope, *1982*: Feb., 52–53
ACTH, role in acute adrenal insufficiency, *1982*: June, 229–231
Activated partial thromboplastin time test, *1983*: Feb., 81, 83–85
Acute respiratory distress syndrome, mechanical ventilation and, *1983*: Feb., 71
Adenocarcinoma, after ureterosigmoidostomy, *1983*: Aug., 478
Adrenal cortex, perioperative function, *1983*: Feb., 15
Adrenal insufficiency, acute, *1982*: June, **229–235**
Age, hypospadias repair and, *1981*: Oct., 576–577
Alkalinization, for enteric hyperoxaluria, *1981*: June, 339–341
Allen-Spence technique, in repair of coronal hypospadias and chordee, *1981*: Oct., 397, 518
Allergic orchitis, experimental, *1982*: Oct., 349–350
Allopurinol, effect on hyperuricosuria, *1981*: June, 240–244, 337–338
  for calcium stone disease, *1983*: Nov., 610
Alport's disease, renal transplantation and, *1983*: May, 223
Amino acid solutions, *1983*: Feb., 121
Aminocaproic acid, for venous thrombosis, *1983*: Feb., 104
Aminoglycosides, for urologic sepsis, *1982*: June, 262
Amyloidosis, relation to renal transplantation, *1983*: May, 222
Anaphylactic shock, *1983*: Feb., 99
Anatomy, of kidney, *1982*: Feb., 3–13; *1983*: Nov., 617, 665–669
  of penis, *1981*: Feb., 79–81, 93–94, 154–156
  of perineum, *1982*: June, 237–239
  of testis, *1982*: Oct., 365
Anesthesia, respiratory effects of, *1983*: Feb., 65
Anesthetics, for patients with renal insufficiency, *1983*: Feb., 41–42
Aneurysm, renal artery, *1982*: June, 209

Angina pectoris, as surgical risk, *1983*: Feb., 52, 55
Angiography, digital subtraction, in renal transplantation, *1983*: May, 310–312
pudendal, *1981*: Feb., 114, 163
standard catheter, in renal transplantation, *1983*: May, 301–302
Angioplasty, percutaneous transluminal, of renal artery, *1982*: Feb., **169–175**. See also *Percutaneous transluminal angioplasty, of renal artery.*
Anomalies, cryptorchidism and, *1982*: Oct., **339–347**
Antegrade pyelography, complications in children, *1983*: Aug., 563–566
in renal transplantation, *1983*: May, 305
Anterior approach to surgery for renal calculi, *1983*: Nov., 620
Antiarrhythmic agents, *1983*: Feb., 60–61
Anti-B-cell antibodies, role in renal transplantation, *1983*: May, 319
Antibiotics, for infection calculi, *1981*: June, 270–271
in renal insufficiency, *1983*: Feb., 41
perioperative, *1983*: Feb., 132
Antibodies, monoclonal, in renal transplantation, *1983*: May, **289–299**
sperm, *1981*: Feb., 12, 35, 73–75
Antibody-dependent cell-mediated cytotoxicity assay, *1983*: May, 318–319, 322
Anticoagulation, perioperative, in patients with prosthetic cardiac valves, *1983*: Feb., 8–9, 57
Anti-endothelial antibodies, in renal transplantation, *1983*: May, 320
Antigens, HLA, *1983*: May, 232
red cell, importance in renal transplantation, *1983*: May, 238
Anti-idiotypic antibodies, in renal transplantation, *1983*: May, 320
Antilymphocyte globulin, in renal transplantation, *1983*: Feb., 154; May, **253–262**
prophylactic, in renal cadaver transplantation, *1983*: May, 253–255
therapeutic, for acute allograft rejection, *1983*: May, 255–259
with donor-specific blood transfusions, *1983*: May, 259–260
Antireflux surgery, complications of, *1983*: Aug., **489–501**, 517
Aortic graft, ureteral obstruction from, *1982*: June, 210
Aortoiliac reconstruction, for vasculogenic impotence, *1981*: Feb., 163–164
Aortorenal bypass, for renal artery aneurysm, *1982*: June, 210
APTT test, *1983*: Feb., 81, 83–85
ARDS, mechanical ventilation and, *1983*: Feb., 71
Arginine, for infertility, *1981*: Feb., 200
Argyle catheter, for nephrostomy drainage, *1982*: Feb., **61–63**
Arrhythmias, perioperative, *1983*: Feb., 53, 59–61
Arterial pressure monitoring, *1983*: Feb., 20–22
Arteriography, renal, in embolic disease, *1982*: June, 212
in renal transplantation, *1983*: May, 301
pelvic and internal pudendal, in impotence, *1981*: Feb., 114, 163
Artery, renal, distribution of, *1981*: Oct., 585–586
Artificial penile erection, and chordee, *1981*: Oct., 398, 471, 541
Asopa technique, in hypospadias repair, *1981*: Oct., 509
Aspiration, needle, complications in children, *1983*: Aug., 570
Assays for cytotoxicity in renal transplantation, *1983*: May, 316–323
ATGAM, in renal transplantation, *1983*: May, 253, 260
Atherosclerosis, in renal transplant patient, *1983*: May, 224
percutaneous transluminal angioplasty for, *1982*: Feb., 172
Atony, ureteral, after antireflux surgery, *1983*: Aug., 495
Autotransplantation, of kidney in patients with calculi, *1981*: June, 299–312
of kidney with ileal ureter in patients with calculi, *1983*: Nov., **685–694**
for urinary undiversion, *1983*: Aug., 485
Azathioprine, in renal transplantation, *1983*: Feb., 153
with cyclosporine for immunosuppression, *1983*: May, 269–270
with prednisone and antilymphocyte globulin, *1983*: May, 253–259
with total lymphoid irradiation, *1983*: May, 282, 283, 285
Azoospermia, in infertility, *1981*: Feb., 35–36
Azotemia, after urinary undiversion, *1983*: Aug., 487
percutaneous nephrostomy for, *1982*: Feb., 24

BACTEREMIA, as precursor of endocarditis, *1983*: Feb., 7
gram-negative rod, *1982*: June, **256–266**
Bacteriuria, after cutaneous vesicostomy, *1983*: Aug., 507
caused by clean intermittent catheterization, *1983*: Aug., 558
Barotrauma, caused by mechanical ventilation, *1983*: Feb., 70
Balloons, for removal of ureteral calculi, *1983*: Nov., 713, 721
Basal energy expenditure, *1983*: Feb., 119
Basketry, for removal of urinary calculi, *1982*: Feb., 114; *1983*: Nov., 711–713
B-cell crossmatching, in renal transplantation, *1983*: May, 236
Belt-Fuqua technique, in hypospadias repair, *1981*: Oct., **431–450**
complications of, *1981*: Oct., 447–448
Berger's disease, HLA typing and, *1983*: May, 239
Beta-blockers, preoperative, *1983*: Feb., 6
for ischemic heart disease, *1983*: Feb., 56
Bilateral nephrectomy, before renal transplantation, indications for, *1983*: May, 226
Biopsy, complications in children, *1983*: Aug., 570
testicular, for carcinoma in situ, *1982*: Oct., 374, 382
Bladder, calculi in, caused by intermittent catheterization, *1983*: Aug., 560
electrohydraulic lithotripsy for, *1981*: June, 291–293. See also under *Calculi.*
candidiasis in, *1982*: Feb., 162
catheterization, applications of, *1982*: Feb., 36–39
complications in renal transplantation, *1982*: June, 217
exstrophy of, surgical complications, *1983*: Aug., **509–518**
neurogenic, *1983*: Aug., 420
prolapse of, after cutaneous vesicostomy, *1983*: Aug., 504
rupture, *1982*: June, **293–296**
volume and pressure, Whitaker test for, *1982*: Feb., 46–47
Bladder flap, to repair injured ureter, *1982*: June, 289
to replace ureter, in patient with renal calculi, *1983*: Nov., 686–688, 706
Bladder mucosal graft, in hypospadias repair, *1981*: Oct., **457–462, 463–470**
Blastogenesis assay, *1983*: May, 321
Bleeding, perioperative, *1983*: Feb., **77–87**
surgical management of, *1983*: Feb., 85–86

Bleeding time test, *1983*: Feb., 84
Blocking factors, in renal transplantation, *1983*: May, 321
Blood–testis barrier, cryptorchidism and, *1982*: Oct., 350
Blood transfusions, in renal transplantation, *1983*: May, 237, **243–252**
Bench surgery, role in renal calculous disease, *1981*: June, **299–312**
renal hypothermia in, *1983*: Nov., 642
Boari bladder tube, with renal autotransplantation, in patients with renal calculi, *1983*: Nov., **688–690**
Body surface area of child, determination of, *1983*: Feb., 142
Bone, calcium transport in, *1981*: June, 221–222
Boyce procedure, for infection calculi, *1981*: June, 272
Boyce-Vest procedure, *1983*: Aug., 475
"Brodel's white line," *1983*: Nov., 668
Broadbent technique, in hypospadias repair, *1981*: Oct., 476, 478, **483–489**
Byars technique, in chordee and hypospadias repair, *1981*: Oct., 398, 414, 458, 475

CADAVER kidney. See *Kidney, cadaver*.
Cachexia, *1983*: Feb., 113
Calcium, supplementation, for enteric hyperoxaluria, *1981*: June, 341–344
urinary, excess. See also *Hypercalciuria*.
in nephrolithiasis, *1981*: June, **245–252**; *1983*: Nov., 595–597
Calcium gluconate, for acute hyperkalemia, *1983*: Feb., 12
Calcium homeostasis, in nephrolithiasis, *1981*: June, **209–226**
parathyroid hormone and, *1981*: June, 215–219
vitamin D and, *1981*: June, 209–215
Calcium oxalate calculi, evaluation and management of patient with, *1983*: Nov., **595–615**. See also under *Calculi*.
hypercalciuria and, *1981*: June, **245–252**; *1983*: Nov., 595–597
hyperoxaluria and, *1981*: June, 259, **331–351**; *1983*: Nov., 598–599
hyperuricosuria and, *1981*: June, **227–244**, 259–260; *1983*: Nov., 597–598
without metabolic or structural abnormalities, *1981*: June, 261–262
Calcium transport, in bone, *1981*: June, 221–222
intestinal, *1981*: June, 219–221
renal, *1981*: June, 222–223
Calculi, bladder, caused by intermittent catheterization, *1983*: Aug., 560
calcium, evaluation and management of patient with, *1983*: Nov., **595–615**
chemolysis for, *1982*: Feb., 121–130; *1983*: Nov., 724–726
destroyal by ultrasound, *1982*: Feb., **145–151**; *1983*: Nov., 723, **729–742**
electrohydraulic shock wave treatment of, *1983*: Nov., 723, **743–750**
endoscopy and percutaneous manipulation of, *1981*: June, **277–298**
infection type, evaluation and management of patient with, *1981*: June, 260, **265–276**
intraoperative imaging for localization of, *1981*: June, **319–329**; *1983*: Nov., 589, 618, **629–635**
irrigation dissolution of, *1981*: June, 286–288; *1983*: Nov., 724–726
percutaneous removal of, *1981*: June, 293; *1982*: Feb., **113–119**; *1983*: Nov., **719–727**
with ureterorenoscopy, *1982*: Feb., 133–134
Calculi (*Continued*)
recurring, evaluation of patients with, *1981*: June, **253–263**; *1983*: Nov., 600–605
in children, *1983*: Nov., 647–648
incidence of, *1983*: Nov., 673–674, 681
management of patient, *1983*: Nov., **595–615**
renal, in children, *1983*: Nov., 646–647
staghorn, anatrophic nephrolithotomy for, *1983*: Nov., 669
surgery for, anatrophic nephrolithotomy, *1983*: Nov., 585–587, **665–675**
approaches to, *1983*: Nov., **617–623**
autotransplantation of kidney, *1981*: June, **299–312**
autotransplantation of kidney with ileal ureter, *1983*: Nov., **685–694**
coagulum pyelolithotomy, *1983*: Nov., **659–664**
in children, *1983*: Nov., **645–648**
posterior lumbotomy, *1983*: Nov., **625–628**
pyelolithotomy, *1983*: Nov., **649–658**
partial nephrectomy, *1983*: Nov., **677–684**
pyelonephrolithotomy, *1981*: Oct., **585–590**
symposia on, *1981*: June, **207–366**; *1983*: Nov., **583–750**
transurethral manipulation of, *1983*: Nov., **709–717**
ultrasonic lithotripsy for, *1982*: Feb., **145–151**; *1983*: Nov., 723, **729–742**
ureteral, *1981*: June, 288–291
in children, *1983*: Nov., 647
surgery for, *1983*: Nov., 699–708
transurethral manipulation for, *1983*: Nov., **709–717**
Calices, position and relations, *1982*: Feb., 8–10
Calicoplasty, during anatrophic nephrolithotomy, *1983*: Nov., 671
California Psychological Inventory (CPI), for impotence, *1981*: Feb., 114
Cancer, cryptorchidism and, *1982*: Oct., **371–376**, **377–385**
prostatic, surgery for, *1983*: Feb., **187–198**
testicular, lymphadenectomy for, *1983*: May, **371–379**
urinary diversion and, *1982*: Feb., **79–84**
Candidiasis, bladder, *1982*: Feb., 162
renal, *1982*: Feb., 161–162
systemic, *1982*: Feb., 160
upper urinary tract, percutaneous antegrade, diagnosis and management, *1982*: Feb., **157–164**
Capacitation, sperm, *1981*: Feb., 13, 72–73
Carcinoma in situ, cryptorchidism and, *1982*: Oct., 372, **377–385**
Cardiac arrest, management of, *1983*: Feb., 179–181
Cardiac care, perioperative, *1983*: Feb., **51–63**
Cardiac output, monitoring of during surgery, *1983*: Feb., 30
Cardiogenic shock, *1983*: Feb., 89–91
Cardiopulmonary resuscitation, *1983*: Feb., **175–186**
Cardioversion, in cardiopulmonary resuscitation, *1983*: Feb., 181
Carnitine, as epididymal marker in infertility, *1981*: Feb., 10, 35, 69
Catheters, for posterior urethral valves, *1983*: Aug., 527–528
multiple indwelling, for removal of ureteral stones, *1983*: Nov., 713
to drain kidney, dislodgement of, *1982*: Feb., 75–78
Catheterization, intermittent, complications of, *1983*: Aug., **557–562**
ureteral, *1983*: Feb., 168–169
urethral, in hypospadias repair, *1981*: Oct., 549
Cavernosography, corporal, in impotence, *1981*: Feb., 115
Cecil technique, in repair of chordee with urethral hypoplasia, *1981*: Oct., 391–394
Cecil-Culp technique, in hypospadias repair, *1981*: Oct., 509, 543

Cellulose phosphate, for calcium stone disease, *1983*: Nov., 606–607
Central nervous system disorders, impotence and, *1981*: Feb., 99–100
Central venous pressure monitoring, *1983*: Feb., 22–26
Chemolysis, for percutaneous removal of calculi, *1982*: Feb., **121–130**; *1983*: Nov., 724–726
Chordee, artificial penile erection and, *1981*: Oct., 398, 471, 541
  impotence and, *1981*: Feb., 83, 115, 116
  asymmetric corpus cavernosum and, *1981*: Oct., 385
  cutaneous, hypospadias repair and, *1981*: Oct., **397–402**, 472
  etiology of, *1981*: Oct., **383–387**
  repair, *1981*: Oct., 391–394, 471–472
    in one-stage bladder mucosal urethroplasty, *1981*: Oct., 463
  with congenitally short urethra, *1981*: Oct., 385
  with hypospadias, *1981*: Oct., 384
  with normal urethral spongiosum, *1981*: Oct., 389–390
  with urethral hypoplasia, *1981*: Oct., 390–394
  without hypospadias, *1981*: Oct., 384–385, **389–395**
Christmas disease, *1983*: Feb., 82
Chromosomal disorders, fertility and, *1981*: Feb., 19, 35
Chylous ascites, in Wilms' tumor surgery, *1983*: Aug., 403
Circle tube nephrostomy, *1982*: Feb., **69–73.** See also *U-loop nephrostomy.*
Circumcision, complications of, *1983*: Aug., **543–549**
Clomiphene, for infertility, *1981*: Feb., 200–201
Clonidine, preoperative use, *1983*: Feb., 6
Coagulation, disorders of, *1983*: Feb., **77–87**
Coagulopathies, *1983*: Feb., 82–86
  obstructive uropathy and, *1983*: Feb., 166–167
Coagulum pyelolithotomy, *1981*: June, **313–317**; *1983*: Nov., **659–664**
Coaxial dilator, for percutaneous removal of calculi, *1983*: Nov., 721
Cold storage of cadaver kidneys, *1983*: May, 210
Colic, renal, recurrent, with nephrolithiasis, autotransplantation and pyelovesicostomy for, *1981*: June, 302
Collins C2 flushing for preservation of cadaver kidneys, *1983*: May, 211
Colon conduit urinary diversion, *1983*: Aug., 453–462
  staged with ureterosigmoidostomy, *1983*: Aug., 467, 473–474
Complement-dependent cytotoxicity assay, *1983*: May, 317–318
Computed tomography, for obstructive uropathy, *1983*: Feb., 165
  for renal and retroperitoneal abscess, *1982*: Feb., **185–193**
  in renal transplantation, *1983*: May, 307–310
  of the undescended testis, *1982*: Oct., **397–404**
Congenital diseases, associated with coagulation factors, *1983*: Feb., 78, 82
Congestive heart failure, perioperative, *1983*: Feb., 52–53
Continuous ambulatory peritoneal dialysis, *1983*: May, 359–364
Coronary artery disease, in renal transplant patient, *1983*: May, 223
Continuous distending pressure, *1983*: Feb., 71
Continuous positive airway pressure, *1983*: Feb., 67–73
Coronary-artery bypass graft operation, with other surgery, *1983*: Feb., 55
Coronary artery disease, perioperative, *1983*: Feb., 55
Corpus cavernosum, asymmetric, chordee and, *1981*: Oct., 385
  revascularization for impotence, *1981*: Feb., 165–167
Corticosteroids in renal transplantation, *1983*: Feb., 154; May, 253–259, 269–270, 282, 283, 285
Cortisol, secretion of, during stress, *1983*: Feb., 15
Cortisone, for infertility, *1981*: Feb., 199–200
CPAP, *1983*: Feb., 67–73
CPR, *1983*: Feb., **175–186**
Cricotracheotomy, *1983*: Feb., 177–178
Crossmatches, positive, evaluation of in renal transplantation, *1983*: May, 235–237
Cryptorchidism, anomalies and, *1982*: Oct., **339–347**
  renal, *1982*: Oct., 343
  cancer and, *1982*: Oct., **371–376, 377–385**
  carcinoma in situ and, *1982*: Oct., 372, **377–385**
  computed tomography for, *1982*: Oct., **397–404**
  embryology of, *1982*: Oct., **315–325**
  endocrinology and, *1982*: Oct., 353–360
  epididymal abnormalities and, *1982*: Oct., 346
  genetic syndromes and, *1982*: Oct., 339–340
  hernia, inguinal, and, *1982*: Oct., 342–343
  histopathology of, *1982*: Oct., **331–338**
  hormonal defects and, *1982*: Oct., 340–341
  immunologic aspects of, *1982*: Oct., **349–351**
  incidence of, *1982*: Oct., **327–329**, 364–365
  infertility and, *1981*: Feb., 19; *1982*: Oct., **361–369**
  intersex and, *1982*: Oct., 341
  malignant disease and, *1982*: Oct., **371–376**
  mechanical-gubernacular defects and, *1982*: Oct., 342
  microsurgery for, *1982*: Oct., **429–440**
  pseudohermaphroditism and, *1982*: Oct., 340–341, 358
  symposium on, *1982*: Oct., **315–440**
  torsion and, *1982*: Oct., 346, 372
  vasal abnormalities and, *1982*: Oct., 346
  venography and, *1982*: Oct., **387–395**
  Wilms' tumor and, *1982*: Oct., 346
Crystalloid, for hypovolemic shock, *1983*: Feb., 90
  for septic shock, *1983*: Feb., 96
CT. See *Computed tomography.*
Cullen's sign, *1982*: June, 240
Cutaneous pyelostomy, *1983*: Aug., 436–438
Cutaneous transureteroureterostomy, *1983*: Aug., 439–442
Cyclosporine, in renal transplantation, *1983*: Feb., 154; May, 260, **263–275**
  nephrotoxicity caused by, *1983*: May, 270
  oncogenicity of, *1983*: May, 271
Cyst, renal, infected, *1982*: June, 227
Cystectomy, radical, *1981*: June, **353–366**
Cystine, urinary, nephrolithiasis and, *1981*: June, 260
Cystinosis, relation to renal transplantation, *1983*: May, 222
Cystinuria, nephrolithiasis and, *1981*: June, 260
Cystography, for bladder injury, *1982*: June, 294–295
  in renal transplantation, *1983*: May, 303, 305
Cytomegalovirus infection, in renal transplant patient, *1983*: May, 225
Cytostomy, in one-stage urethroplasty, *1981*: Oct., 464
  suprapubic, in hypospadias repair, *1981*: Oct., 549, 556
Cytotoxicity assays, in renal transplantation, *1983*: May, 317–319

DEFECATION, painful, *1982*: June, 240
Defibrillation, in cardiopulmonary resuscitation, *1983*: Feb., 181
Dehydration, perioperative, *1983*: Feb., 9–10
Denis-Browne technique, in hypospadias repair, *1981*: Oct., 403, 408, 468, 477, 480, 543
Denonvilliers' fascia, formation of, *1983*: Feb., 191
Depression, caused by impotence, *1981*: Feb., 114
Devine–Horton technique, in hypospadias repair, *1981*: Oct., 398, 491–500, 518, 521, 527, 543
Dexamethasone, for acute adrenal insufficiency, *1982*: June, 233

Dextran, for venous thrombosis, *1983*: Feb., 105
Diabetes mellitus, HLA typing and, *1983*: May, 239
impotence and, *1981*: Feb., 87–88, 97–98, 110
in patient on continuous ambulatory peritoneal dialysis, *1983*: May, 362–363
in renal transplant patient, *1983*: May, 329, 333, 343
infertility and, *1981*: Feb., 18–19
management during surgery, *1983*: Feb., 13–15
Diabetic nephropathy, renal transplantation for, *1983*: May, 219
Dialysis, continuous ambulatory peritoneal, *1983*: May, 359–364
during renal transplantation, *1983*: May, 225
for acute renal failure, *1983*: Feb., 48
hemodialysis, *1983*: May, **347–356**
peritoneal, *1983*: May, **357–364**
intermittent, *1983*: May, 357–359
relation to surgery, *1983*: Feb., 43–45
versus transplantation for renal failure, *1983*: May, 217
Dialyzers, *1983*: May, 348, 356
Diaper dermatitis, after cutaneous vesicostomy, *1983*: Aug., 507
DIC, *1983*: Feb., 83
Dicumarol, for venous thrombosis, *1983*: Feb., 104
Diet, for hyperuricosuria, *1981*: June, 227, 228, 243
for oxalate reduction, after gastrointestinal bypass, *1981*: June, 338–339
for calcium load test, in patients with calcium stone disease, *1983*: Nov., 605–606, 608–610
Differentiation, male, embryology of, *1982*: Oct., 319–320
Digital subtraction angiography, in renal transplantation, *1983*: May, 310–312
Digitalis, preoperative prophylaxis, *1983*: Feb., 58
1,25-Dihydroxyvitamin D, *1981*: June, 210–215
Dilators, for percutaneous removal of calculi, *1983*: Nov., 721
Disseminated intravascular coagulation, *1983*: Feb., 83
Diuresis, postobstructive, *1983*: Feb., 169–170
Diuretics, for renal insufficiency during surgery, *1983*: Feb., 40
Diversion Stent, *1982*: Feb., 93–94
Diversion, urinary, cutaneous, *1983*: Aug., **433–443, 451–471**
temporary, *1983*: Aug., 527–529
Donor-specific blood transfusions, in renal transplantation, *1983*: May, 245–248
psychosocial aspects, *1982*: May, 331
with antilymphocyte globulin, *1983*: May, 259–260
Doppler flow meter, in measuring penile blood pressure, *1981*: Feb., 110–111, 160–161
in measuring penile circulation, *1981*: Feb., 159–160
Double-J stent, *1982*: Feb., **89–94**; *1983*, Feb., 169
Dressings, in hypospadias repair, *1981*: Oct., 440, 515, **545–558**
Drugs, for infertility, *1981*: Feb., 198–201
impotence and, *1981*: Feb., 87, 98, 107, 108, 149
DTPA scan, in renal transplantation, *1983*: May, 303–304
Duckett technique, in hypospadias repair, *1981*: Oct., 472, 479, 500–501, **503–511, 513–519**
Duplay technique, in hypospadias repair, *1981*: 414, 415, 474
Durham Smith technique, in hypospadias repair, *1981*: Oct., **451–455**
Dystopic testis, *1982*: Oct., 362

EA rosette inhibition assay, *1983*: May, 319–320
Ectopia, crossed renal, with nephrolithiasis, autotransplantation and extracorporeal surgery in, *1981*: June, 302
Ectopic testis, *1982*: Oct., 324–325, 364
Ectopic ureter, *1983*: Aug., 423, 427
Ectopic ureterocele, *1981*: Feb. 10–11; *1983*: Aug., 421
Ejaculation, incompetent, psychological, *1981*: Feb., 137, 142
pathophysiology of, *1981*: Feb., 10–11
premature, psychological, *1981*: Feb., 136–137, 141–142
retrograde, *1981*: Feb., 11, 105, 198
Electrocardiography, for tachycardia, *1983*: Feb., 59
Electrohydraulic shock waves, for percutaneous removal of calculi, *1981*: June, 291–293; *1983*: Nov., 723, **743–750**
Electrolytes, abnormalities of, following renal and ileal ureter autotransplantation, *1983*: Nov., 696
in parenteral nutrition, *1983*: Feb., 122–123, 125
management of, in patients with renal insufficiency, *1983*: Feb., 38
Embolectomy, *1983*: Feb., 105
renal arterial, *1982*: June, 213
Embolism, pulmonary, perioperative management, *1983*: Feb., 101–108
renal arterial, *1982*: June, 212–213
Embryology, of testicular descent, *1982*: Oct., **315–325**, 361
Emergencies, urologic. See also specific type, as renovascular.
symposium on, *1982*: June, **209–310**
Endarterectomy, iliac, and femorofemoral reconstruction, for vasculogenic impotence, *1981*: Feb., 164
End cutaneous ureterostomy, *1983*: Aug., 438–439
Endocarditis, bacterial, prevention of, *1983*: Feb., 7–8
Endocrine shock, *1983*: Feb., 98
Endocrine system, vitamin D metabolism and, *1981*: June, 212–214
disorders of, impotence and, *1981*: Feb., 87–88, 100, **143–151**
infertility and, *1981*: Feb., 19, 32–35, 198–199
Endocrinology, cryptorchidism and, *1982*: Oct., **353–360**, 367
Endoscopy, ureteral, for removal of calculi, *1981*: June, 290–291
Epididymal abnormalities, cryptorchidism and, *1982*: Oct., 346
Epididymal markers, in infertility, *1981*: Feb., 10, 35, 68–70
Epididymis, sperm maturation and, *1981*: Feb., 9–10
Epispadias, caused by circumcision, *1983*: Aug., 547
Erection, penile. See *Penile erection*.
E-rosetting to measure T-lymphocytes, *1983*: May, 289–290
Euro-Collins flushing solution for preservation of cadaver kidneys, *1983*: May, 211
Exstrophy, surgical complications, *1983*: Aug., **509–519**
External cardiac compression, *1983*: Feb., 179
Extracorporeal lithotomy, technique for, *1981*: June, 304–305
Extracorporeal renal surgery, for patients with calculi, *1981*: June, **299–312**
renal hypothermia in, *1983*: Nov., 642

FABRY'S disease, relation to renal transplantation, *1983*: May, 222
Fascial dilator, for percutaneous removal of calculi, *1983*: Nov., 721
Femorofemoral reconstruction, and iliac endarterectomy, for vasculogenic impotence, *1981*: Feb., 164
Fertilization, incapacity for. See *Infertility*.
pathophysiology of, *1981*: Feb., 13

Fibrin, formation of, *1983*: Feb., 77
Fibromuscular disease, percutaneous transluminal angioplasty in, *1982*: Feb., 172
Finney stents, *1983*: Feb., 169
Fistula, urethral, for urethroplasty, *1981*: Oct., 398, 415–416, 424, 447, 448, 468, 469, 488–489, 499, 540, 542, 582–583
urethrocutaneous, after circumcision, *1983*: Aug., 547
Flip-flap procedure, for hypospadias repair. See also *Devine-Horton technique* and *Mustarde technique*.
one-stage modified, in repair of distal penile hypospadias, *1981*: Oct., **527–530**
Fluid and electrolyte balance, pediatric, *1983*: Feb., 141–142, 145
Fluid overload, caused by acute renal failure, *1983*: Feb., 47, 48
Fluid therapy, pediatric, *1983*: Feb., 142
Fluid tolerance, during parenteral nutrition, *1983*: Feb., 125
Fluid volume, management of, in patients with renal insufficiency, *1983*: Feb., 37
Fluid volume depletion, perioperative, *1983*: Feb., 9
Fluoroscopy, for percutaneous removal of calculi, *1983*: Nov., 722
Flushing solutions for preservation of cadaver kidneys, *1983*: May, 211
Flushing techniques, for removal of renal calculi, *1982*: Feb., 115–117
Follicle-stimulating hormone, testicular descent and, *1982*: Oct., 354–356, 367
Fournier's gangrene, *1982*: June, 240–242
Fowler–Stevens procedure for orchiopexy, *1982*: Oct., 425
Fructose, seminal, in infertility, *1981*: Feb., 30
FSH, testicular descent and, *1982*: 354–356, 367
Furosemide, for renal insufficiency during surgery, *1983*: Feb., 40–41

GANGRENE, scrotal (Fournier's), *1982*: June, 240–242
Gastrointestinal bypass, hyperoxaluria and nephrolithiasis in, *1981*: June, **331–351**
Gastrointestinal disease, in renal transplant patient, *1983*: May, 224
Genetics, hypospadias and, *1981*: Oct., **559–564**
Genetic syndromes, cryptorchidism and, *1982*: Oct., 339–340
Genital glands, accessory, role in seminal emission, *1981*: Feb., 11
Genitalia, male, anomalies of, with hypospadias, *1981*: Oct., **565–571**
embryology of, *1981*: Oct., **375–382**, 383–384
Genitourinary tract. See also *Genitalia* and *Urinary tract*.
infection, infertility and, *1981*: Feb., 18, 70–71, 197–198
Gersuny urinary diversion, *1983*: Aug., 475
Gibbons stents, *1982*: Feb., **85–87**; *1983*: Feb., 169
Gittes test, in chordee and hypospadias repair, *1981*: Oct., 398, 471, 541
Glans, ventral, tilting of, *1981*: Oct., 472
Glanuloplasty, and meatoplasty (MAGPI), for repair of subcoronal hypospadias, *1981*: Oct., **513–519**
Glenn and Anderson technique, for repair of scrotal transposition and hypospadias, *1981*: Oct., 532, 536
Glomerulonephritis, renal transplantation for, *1983*: May, 220
Glucocorticoid, for acute adrenal insufficiency, *1982*: June, 232–234
Glucocorticoids, use during surgery, *1983*: Feb., 15
Glucose tolerance, during parenteral nutrition, *1983*: Feb., 125
Glycerol phosphorylcholine, as epididymal marker in infertility, *1981*: Feb., 10, 35, 69–70
GnRH, for treatment of cryptorchidism, *1982*: Oct., **413–420**
Gonadal venography, *1982*: Oct., **387–395**
Gonadotropin-releasing hormone, for treatment of cryptorchidism, *1982*: Oct., **413–420**
Gonadotropins, cryptorchidism and. See under specific hormone, i.e., *Follicle-stimulating hormone*.
Goodpasture's syndrome, HLA typing and, *1983*: May, 239
Grading of donor-recipient matches in renal transplantation, *1983*: May, 233
Graft, bladder mucosal, in hypospadias repair, *1981*: Oct., 457–462, 463–470
free full-thickness, in one-stage urethroplasty, *1981*: Oct., **491–501**
Graft rejection, renal, *1983*: Feb., 155–156
Gram-negative sepsis, *1983*: Feb., 136
Grob technique, modified, in hypospadias repair, *1981*: 424–430
Gubernacular defects, cryptorchidism and, *1982*: Oct., 342
Gubernaculum testis, embryology of, *1982*: Oct., 316–318

HCG, for treatment of cryptorchidism, *1982*: Oct., **405–411**
testicular descent and, *1982*: Oct., 356–358
Heart disease, valvular, perioperative, *1983*: Feb., 53, 57–58
Heart valves, prosthetic, management during surgery, *1983*: Feb., 57–58
Heat, effect on fertility, *1981*: Feb., 20, 196
Heitz-Boyer urinary diversion, *1983*: Aug., 475
Hematuria, bladder injury and, *1982*: June, 294
Hemodialysis, *1983*: May, **347–356**
relation to surgery, *1983*: Feb., 43–45
Hemodynamic monitoring, *1983*: Feb., **19–34**
Hemofiltration, *1983*: May, 354
Hemophilia, *1983*: Feb., 82
Hemorrhage, after anatrophic nephrolithotomy, *1983*: Nov., 673
after pyelolithotomy, *1983*: Nov., 657
from obstructive uropathy, *1983*: Feb., 166–167
perioperative, *1983*: Feb., **77–87**
Hemostasis, *1983*: Feb., 77–82
Heparin, for venous thrombosis, *1983*: Feb., 104, 105–106
Hepatic function, in parenteral nutrition, *1983*: Feb., 126
Hereditary diseases, relation to renal failure, *1983*: May, 222
Heredity, hypospadias and, *1981*: Oct., **559–564**
Hernia, inguinal, cryptorchidism and, *1982*: Oct., 342–343
Histocompatibility testing in renal transplantation, *1983*: May, **231–242**, 315
Histology, of carcinoma in situ, *1982*: Oct., 377–380
testicular, *1982*: Oct., 365–367
Histopathology, of cryptorchid testis, *1982*: Oct., **331–338**
HLA antigens, *1983*: May, 232
important matches in renal transplantation, *1983*: May, 239
HLA-identical sibling renal transplantation, reasons for rejection in, *1983*: May, 238
HLA testing in renal transplantation, *1983*: May, **231–242**
Hodgson technique, in hypospadias repair, *1981*: Oct., 398, **471–481**
Hormone(s). See *Endocrine system* and specific types.
Hormonal defects, cryptorchidism and, *1982*: Oct., 340–341
Horseshoe abscess, *1982*: June, 239

Horseshoe kidney, with nephrolithiasis,
autotransplantation and extracorporeal lithotomy for, *1981*: June, 302
Human chorionic gonadotropin, for treatment of cryptorchidism, *1982*: Oct., **405–411**
testicular descent and, *1982*: Oct., 356–358
Hunter, John, *1982*: Oct., 315
Hydration, of patients with calcium stone disease, *1983*: Nov., 605
perioperative, *1983*: Feb., 9–10
Hydrocortisone, for acute adrenal insufficiency, *1982*: June, 232
Hydronephrosis, after pyeloplasty, *1983*: Aug., 396
Hyperacute rejection in renal transplantation, causes of, *1983*: May, 237
Hyperalimentation, enteral, *1983*: Feb., 114–116
parenteral, *1983*: Feb., 116–117
Hypercalcemia, uremia and, *1982*: June, 275–277
Hypercalciuria, in patients with calcium stone disease, *1981*: June, **245–252,** 258; *1983*: Nov., 595–597
Hyperchloremic acidosis, caused by ureterosigmoidostomy, *1983*: Aug., 478
Hypergonadotropism, *1981*: Feb., 146–147
Hyperkalemia, *1983*: Feb., 12–13
caused by acute renal failure, *1983*: Feb., 47, 48
in dialysis patients after surgery, *1983*: Feb., 45
in patients with renal insufficiency, *1983*: Feb., 38
pediatric, *1983*: Feb., 145
uremia and, *1982*: June, 277–278
Hypermetabolism, *1983*: Feb., 109, 111
Hypernatremia, perioperative, *1983*: Feb., 9, 11
Hyperoxaluria, in patients with calcium stone disease, *1981*: June, 259; **331–351;** *1983*: Nov., 598–599
Hyperparathyroidism, in patient with calculi, *1981*: June, 259
renal transplantation and, *1983*: Feb., 157
Hyperphosphatemia, pediatric, *1983*: Feb., 145
Hyperprolactinemia, *1981*: Feb., 146
Hypertension, after antireflux surgery, *1983*: Aug., 493
management of, in patients with renal insufficiency, *1983*: Feb., 37
pediatric, *1983*: Feb., 145
perioperative, *1983*: Feb., 5–6, 54, 56–57
Hyperuricosuria, in patients with calcium stone disease, *1981*: June, **227–244,** 259–260; *1983*: Nov., 597–598
Hypocalcemia, pediatric, *1983*: Feb., 145
Hypocalciuria, after small intestine bypass, *1981*: June, 337
Hypocitraturia, in patients with calcium stone disease, *1983*: Nov., 599
Hypogonadism, *1981*: Feb., 110, 144–145
Hypogonadotropism, *1981*: Feb., 145–146
Hypokalemia, *1983*: Feb., 11–12
Hypomagnesuria, in patients with calcium stone disease, *1983*: Nov., 599
Hyponatremia, perioperative, *1983*: Feb., 10–11
in patients with renal insufficiency, *1983*: Feb., 39
Hypospadias, age of patient at repair, *1981*: Oct., 576–577
caused by circumcision, *1983*: Aug., 547
classification of, *1981*: Oct., 513–514
coronal, with chordee, Allen-Spence repair of, *1981*: Oct., 397
distal, King repair of, *1981*: Oct., **397–402**
modification of one-stage flip-flap repair of, *1981*: Oct., **527–530**
embryologic aspects of, *1981*: Oct., **375–382**
genetic aspects of, *1981*: Oct., **559–564**
perineal, with scrotal transposition, repair of, *1981*: Oct., **531–537**
repair. See *Urethroplasty* and specific types.
Hypospadias (*Continued*)
severe, preputial pedicle flap procedure for, *1981*: Oct., 423–429
surgery for, *1981*: Oct., **421–430**
subcoronal, meatoplasty and glanuloplasty (MAGPI) for, *1981*: Oct., **513–519**
symposium on, *1981*: Oct., **371–583**
urologic anomalies with, *1981*: Oct., **565–571**
with chordee, *1981*: Oct., 384
Hypospadias cripples, management of, *1981*: Oct., **539–544**
Hypothalamic-pituitary-gonadal axis, fertility and, *1981*: Feb., 3–7
impotence and, *1981*: Feb., 109–110, 143–144
Hypothermia, for preservation of renal function, *1983*: Nov., 588–589, **637–644**
perfusion, *1983*: Nov., 640
simple renal arterial, *1983*: Nov., 640
surface, *1983*: Nov., 639
Hypovolemic shock, *1983*: Feb., 89–91

IgA nephropathy, HLA typing and, *1983*: May, 239
Ileal interposition of ureter for renal calculi, *1983*: Nov., **685–694,** 707
Ileal loop undiversion, *1983*: Aug., 462–467
Ileal loop urinary diversion, *1983*: Aug., 451–453
Imaging, intraoperative, for localization of calculi, *1981*: June, **319–329;** *1983*: Nov., 589, 618, **629–635**
pelvic, in renal transplantation, *1983*: May, **301–313**
Immune effector mechanisms, *1983*: May, 315–316
Immunologic aspects of cryptorchidism, *1982*: Oct., 349–351
Immunologic complications in renal transplantation, *1982*: June, 216
Immunologic monitoring of renal transplant recipient, *1983*: May, **315–325**
Immunosuppression, in renal transplant recipient, *1983*: Feb., 153–155
with cyclosporine, *1983*: May, **263–275**
Impedance plethysmography, *1983*: Feb., 103–104
Impotence, causes and classification of, *1981*: Feb., **79–89**
clinical evaluation of, *1981*: Feb., **103–118,** 182–183
endocrinologic, *1981*: Feb., 87–88, 100, **143–151**
inflatable penile prosthesis for, *1981*: Feb., 181–193
monitoring of nocturnal penile erection and, *1981*: Feb., **119–134**
neuroendocrine causes of, *1981*: Feb., 100
neurologic, *1981*: Feb., 85–87, 110, 113
neurophysiologic principles of, *1981*: Feb., **91–102**
organic causes of, *1981*: Feb., 82, 83, 106–107
postoperative, *1981*: Feb., 83–84, 108
psychological, *1981*: Feb., 82, 113–114, **135–142**
radiography of, *1981*: Feb., 114–115
semirigid penile prosthesis for, *1981*: Feb., 169–179
vasculogenic, *1981*: Feb., **153–168**
Incidence of cryptorchidism, *1982*: Oct., **327–329,** 364–365
of carcinoma in situ in cryptorchidism, *1982*: Oct., 382
Incisions, for surgery for calculi, *1983*: Nov., 620–622, **625–628**
Incontinence, after exstrophy surgery, *1983*: Aug., 515–517
after posterior urethral valve surgery, *1983*: Aug., 521
after ureterosigmoidostomy, *1983*: Aug., 478
during intermittent catheterization, *1983*: Aug., 557
Infarction, myocardial, perioperative, *1983*: Feb., 4–5, 51–52
from obstructive uropathy, *1983*: Feb., 165–166

Infarction (*Continued*)
genitourinary, effect on fertility, *1981*: Feb., 18, 70–71, 197–198
pediatric, *1983*: Feb., 146
perineal, acute, *1982*: June, **237–243**
perioperative, *1983*: Feb., **131–137**
renal, acute, *1982*: June, **219–228**
Infection stones, evaluation and management of patient with, *1981*: June, **265–276**
Infertility, cryptorchidism and, *1982*: Oct., **361–369**
Infertility, male, etiology of, *1981*: Feb., 17–19
evaluation of, *1981*: Feb., **17–39**
medical treatment for, *1981*: Feb., **195–202**
pathophysiology of, *1981*: Feb., **3–15**
research on, *1981*: Feb., **63–77**
varicocele and, *1981*: Feb., **41–51**
vasectomy reversal and, *1981*: Feb., **53–62**
Inherited diseases, associated with coagulation factors, *1983*: Feb., 78, 82
relation to renal failure, *1983*: May, 222
Insulin preparations, *1983*: Feb., 13
Intermittent catheterization, complications of, *1983*: Aug., **557–562**
Intermittent mandatory ventilation, *1983*: Feb., 73
Intermittent peritoneal dialysis, *1983*: May, 357–359
Intersex, cryptorchidism and, *1982*: Oct., 341
Interstitial disease, renal transplantation for, *1983*: May, 221
Intestine, calcium transport in, *1981*: June, 219–221
small, bypass of, hypocalciuria after, *1981*: June, 337
nephrolithiasis after, *1981*: June, 334–335
Intestinocystoplasty for urinary undiversion, *1983*: Aug., 485
Intravascular nephroblastoma, surgery for, *1983*: Aug., **407–415**
Intravenous urography, in renal transplantation, *1983*: May, 305
Invasive monitoring, *1983*: Feb., **19–34**
Irrigation removal of calculi, *1983*: Nov., 724–726
Ischemia, renal tolerance to, *1983*: Nov., 637–638
testicular, from torsion of spermatic cord, *1982*: June, 249
Ischemic heart disease, *1983*: Feb., 51–52, 54–56
Island flap technique, for hypospadias repair, *1981*: Oct., 500–501, **503–511**
Isotope renography, in renal transplantation, *1983*: May, 302–303

JONAS penile prosthesis, *1981*: Feb., 172, 173

KALLMANN'S syndrome, *1982*: Oct., 340
"K" cell function, in renal transplantation, *1983*: May, 322
Kidney. See also *Renal*.
anatomy of, *1982*: Feb., **3–13**; *1983*: Nov., 617, 665–669
identification during surgery, *1983*: Nov., 587–588
arteries, distribution of, *1981*: Oct., 585–586
arteriography, *1982*: June, 212
autotransplantation of, in patients with calculi, *1981*: June, **299–312**; *1983*: Nov., **685–694**
blood supply, *1982*: Feb., 10–12
cadaver, donor criteria, *1983*: May, 205
HLA matching of, *1983*: May, 234–235
packaging of, *1983*: May, 206
prenephrectomy management, *1983*: May, 205
procurement and preservation of, *1983*: May, **205–216**
surgical technique for retrieval of, *1983*: May, 206
Kidney (*Continued*)
calcium transport in, *1981*: June, 222–223
calculi in. See *Calculi*.
cyst, infected, *1982*: June, 227
extracorporeal surgery of, for nephrolithiasis, *1981*: June, **299–312**
failure, after small intestine bypass, *1981*: June, 347, 349
horseshoe, with nephrolithiasis, autotransplantation and extracorporeal lithotomy for, *1981*: June, 302
infection, acute, *1982*: June, **219–228**
locating, *1982*: Feb., 5
obstructed, management of, *1983*: Feb., **161–173**
preservation of function of, extracorporeal, *1983*: Nov., 642
hypothermia, *1983*: Nov., 588–589, **637–644**
pharmacologic, *1983*: Nov., 641
relation of right and left, *1982*: Feb., 5–6
removal, for infection calculi, *1981*: June, 272
stones in. See *Calculi*.
structural abnormalities, nephrolithiasis and, *1981*: June, 260–261
transplantation, emergencies in, *1982*: June, **215–218**
veins, distribution of, *1981*: Oct., 586
Killer cell activity, in renal transplantation, *1983*: May, 322
King technique, in repair of distal shaft hypospadias, *1981*: Oct., **397–402**, 474, 518

LAPAROTOMY, in bladder injury, *1982*: June, 295–296
Lateral approach to surgery for renal calculi, *1983*: Nov., 620–621
Lewis red cell antigen system, in renal transplantation, *1983*: May, 238
Leydig's cells, testicular descent and, *1982*: Oct., 354
with varicocele, *1981*: Feb., 66–67
LH, testicular descent and, *1982*: Oct., 354–355, 367
LH-RH, testicular descent and, *1982*: Oct., 354–356
Lidocaine and other antiarrhythmic drugs, *1983*: Feb., 60–61
Lipid tolerance, during parenteral nutrition, *1983*: Feb., 125
Lithiasis. See also *Calculi*.
symposia on, *1981*: June, **207–366**; *1983*: Nov., **583–750**
Lithotomy, bladder, *1981*: June, 291–293
pyelocaliceal, technique of, *1983*: Aug., 578
renal, anatrophic, *1981*: June, 272
Lithotripsy, electrohydraulic, for percutaneous removal of calculi, 1981: June, 291–293; *1983*: Nov., 723, **743–750**
ultrasonic, for percutaneous removal of calculi, *1981*: June, 291–293; *1982*: Feb., **145–151**; *1983*: Nov., 723, **729–742**
Liver function, in parenteral nutrition, *1983*: Feb., 126
Long-incubation complement-dependent cytotoxicity assay, *1983*: May, 319
Loop cutaneous ureterostomy, *1983*: Aug., 433–436
Loops, for retrieval of ureteral calculi, *1983*: Nov., 713
Lumbotomy, posterior, *1983*: Aug., **573–579**
for removal of calculi, *1983*: Nov., **625–628**
Lung care, perioperative, *1983*: Feb., **65–75**
Luteinizing hormone, testicular descent and, *1982*: Oct., 354–355, 367
Luteinizing hormone-releasing hormone, testicular descent and, *1982*: Oct., 354–355
Lymph node dissection, in Wilms' tumor surgery, *1983*: Aug., 402
Lymph nodes, inguinal, cancer and, *1982*: Oct., 375

Lymphadenectomy, lymphangiography and, *1982*: Feb., **153–155**
thoracoabdominal retroperitoneal, for testicular cancer, *1983*: May, **371–379**
Lymphangiography, in cancer staging, *1982*: Feb., **153–155**
with fine-needle biopsy, *1982*: Feb., 154
Lymphocyte-mediated cytotoxicity assay, *1983*: May, 317
Lymphoid irradiation, total, in renal transplantation, *1983*: May, **277–288**

MAGNESIUM salts, for calcium stone disease, *1983*: Nov., 611
MAGPI technique, in hypospadias repair, *1981*: Oct., 480, **513–519**
Maldescent, testicular, unilateral types of, *1982*: Oct., 362–364. See also specific topics under *Cryptorchidism*.
Malecot catheter, for nephrostomy drainage, *1982*: Feb., **65–67**
M-ALG, role in renal transplantation, *1983*: May, 260
Malignant disease, cryptorchidism and, *1982*: Oct., **371–376, 377–385**
Malnutrition, protein-calorie, *1983*: Feb., 110, 112
Mannitol, perioperative, for renal insufficiency, *1983*: Feb., 40–41
Marberger technique, in hypospadias repair, *1981*: Oct., **403–419**
Marshall-Spence technique, in hypospadias repair, *1981*: 457, 458
Mathieu technique, in hypospadias repair, *1981*: Oct., 517–518
Mauermeyer stone punch, for percutaneous removal of calculi, *1983*: Nov., 723
Meat, intake of, hyperuricosuria and, *1981*: June, 227, 228, 243
Meatitis, after circumcision, *1983*: Aug., 547
Meatoplasty, glanuloplasty and (MAGPI), for repair of subcoronal hypospadias, *1981*: Oct., **513–519**
Meatotomy, ureteral, controlled, *1982*: Feb., 140
for ureteral calculi, *1983*: Nov., 715
ureterointestinal, controlled, *1982*: Feb., 141
Meatoplasty, Y-V, for hypospadias repair, *1981*: Oct., 581
Meatus, advancement, Denis-Browne. See *Denis-Browne technique*.
in repair of subcoronal hypospadias, *1981*: Oct., 514–515
stenosed, from urethroplasty, *1981*: Oct., 499, 544
Mechanical-gubernacular defects, cryptorchidism and, *1982*: Oct., 342
Megaureter, in pyeloplasty, *1983*: Aug., 389
surgery for, *1983*: Aug., **417–422**
Membranous nephropathy, renal transplantation and, *1983*: May, 220
Metabolic acidosis, caused by ureterosigmoidostomy, *1983*: Aug., 478
Metabolic diseases, relation to renal transplantation, *1983*: May, 222
Microsurgery, for cryptorchidism, *1982*: Oct., **429–440**
Minnesota ALG, in renal transplantation, *1983*: May, 260
Minnesota Multiphasic Personality Inventory (MMPI), in impotence, *1981*: Feb., 114, 159
Mitogen responsiveness, in renal transplantation, *1983*: May, 322
Mixed lymphocyte culture testing, value in living-related transplants, *1983*: May, 235
Monoclonal antibodies, in renal transplantation, *1983*: May, **289–299**
Morphology of normal testis, *1982*: Oct., 332
Multiple sclerosis, impotence and, *1981*: Feb., 86, 98
Mumps orchitis, effect on fertility, *1981*: Feb., 196–197
Muscle relaxants, for patients with renal insufficiency, *1983*: Feb., 42
Mustarde technique, for hypospadias repair, *1981*: Oct., 518, 527
Myocardial infarction, perioperative, *1983*: Feb., 4–5, 51–52
Myoglobinuria, rhabdomyolysis and, *1982*: June, 269

NATURAL killer cell activity, in renal transplantation, *1983*: May, 322
Necrosis, penile, after circumcision, *1983*: Aug., 547
Needle aspiration, complications in children, *1983*: Aug., 570
Nephrectomy, bilateral, before renal transplantation, indications for, *1983*: May, 226
for infection calculi, *1981*: June, 272
partial, for ectopic ureterocele, *1983*: Aug., 446
for removal of calculi, *1983*: Nov., **677–684**
for ureteral duplication, *1983*: Aug., 427
Nephritis, acute focal bacterial, *1982*: June, 220
acute multifocal bacterial, *1982*: June, 221
Nephroblastoma, surgery for, *1983*: Aug., **399–406, 407–415**
Nephrolithiasis. See also under *Calculi*.
symposia on, *1981*: June, **207–366**; *1983*: Nov., **583–750**
Nephrolithotomy, anatrophic, *1983*: Nov., 585–587, **665–675**
for infection calculi, *1981*: June, 272
lower renal pole, *1981*: Oct., **585–590**
Nephropathy, diabetic, renal transplantation for, *1983*: May, 219
Nephrosclerosis, renal transplantation for, *1983*: May, 221
Nephroscopy, advances and adjuncts, *1982*: Feb., **51–60**
contraindications, *1982*: Feb., 54
indications, *1982*: Feb., 51–54
instrumentation, *1982*: Feb., 51–53
for intraoperative localization of calculi, *1982*: Feb., 54–63, *1983*: Nov., 629
for percutaneous removal of calculi, *1981*: June, 277–285; *1982*: Feb., 55–57; *1983*: Nov., 722–723
technical problems, *1982*: Feb., 54
Nephrostomy, complications in children, *1983*: Aug., 566
in pyeloplasty, *1983*: Aug., 390–393, 395
percutaneous, *1982*: Feb., **15–29**; *1983*: Feb., 167–168. See also *Percutaneous nephrostomy*.
Nephrostomy tract, reestablishment of, *1982*: Feb., **75–78**
Nephrotomy, lower pole, in removal of renal calculi, *1981*: Oct., 587, 588
Nephrotoxicity, caused by cyclosporine, *1983*: May, 270
Nephroureterostomy, U-loop nephrostomy and, *1982*: Feb., 71–72
Nesbit technique, in hypospadias repair, *1981*: Oct., 398, 475, 518
Neurogenic bladder, *1983*: Aug., 420
Neurogenic shock, *1983*: Feb., 98
Nitroprusside, use during cardiogenic shock, *1983*: Feb., 94
Nocturnal penile tumescence, in impotence, *1981*: Feb., 115, **119–134**, 158–159
Nodes, pelvic, limited dissection of, *1983*: Feb., **187–198**
Nuclear magnetic resonance, in renal transplantation, *1983*: May, 312
Nutrition, effect on fertility, *1981*: Feb., 20
parenteral, electrolytes, *1983*: Feb., 122–123
monitoring of, *1983*: Feb., 123–126
standard formulas, *1983*: Feb., 120
vitamins and trace elements, *1983*: Feb., 123

Nutrition (*Continued*)
perioperative, *1983*: Feb., **109–118, 119–129**
in renal failure, *1983*: Feb., 113
of cancer patient, *1983*: Feb., 112
of geriatric patient, *1983*: Feb., 112

OBSTRUCTED testis, *1982*: Oct., 364
Olympus choledochoscope, *1982*: Feb., 52–53
Orchiopexy, *1982*: Oct., **421–427**
Orchiopexy, complications of, *1983*: Aug., **537–541**
for surveillance of cancer, *1982*: Oct., 373
tumors and, *1982*: Oct., 374
Orchitis, experimental allergic, *1982*: Oct., 349–350
Orthophosphates, for calcium stone disease, *1981*: June, 251; *1983*: Nov., 607, 610
Osteotomy, in exstrophy surgery, *1983*: Aug., 513
Oxaluria, after gastrointestinal bypass, agents for reduction of, *1981*: June, 337–338

PACEMAKERS, use during surgery, *1983*: Feb., 59
Parathyroid hormone, *1981*: June, 216–219
Parathyroidectomy, for resorptive hypercalciuria, *1981*: June, 247, 249
Parenteral nutrition. See *Nutrition, parenteral.*
Partial thromboplastin time test, *1983*: Feb., 81, 83–85
Pediatric genitourinary problems, *1983*: Feb., 140
Pediatric urologic surgery, complications of, symposium on, *1983*: Aug., **383–571.** See also under specific surgical procedures.
for calculi, *1983*: Nov., **645–648**
perioperative management, *1983*: Feb., **139–148**
Pedicle flap, preputial, in repair of severe hypospadias, *1981*: Oct., 423–429
PEEP, *1983*: Feb., 67–73
effect on invasive monitoring, *1983*: Feb., 28–29
Pelvic imaging techniques, in renal transplantation, *1983*: May, **301–313**
Pelvis, divided, *1982*: Feb., 9–10
true, *1982*: Feb., 9
Pelviureteric junction obstruction, *1983*: Aug., 385–387, 431
Penile erection, anatomy of, *1981*: Feb., 93–94, 154–156
artificial, chordee and, *1981*: Oct., 398, 471, 541
neurophysiology of, *1981*: Feb., **91–102**
nocturnal, impotence and, *1981*: Feb., 115, **119–134,** 158–159
physiology of, *1981*: Feb., 81–82, 156
vascular disorders and, *1981*: Feb., **153–168**
vascular principles of, *1981*: Feb., 91–93
Penile plethysmography, *1981*: Feb., 112, 161–163
Penile prosthesis, inflatable, evaluation of candidates for, *1981*: Feb., 183–184
for impotence, *1981*: Feb., **181–193**
inplantation technique, *1981*: Feb., 184–188
vs. semirigid, for impotence, *1981*: Feb., 174–175
semirigid, for impotence, *1981*: Feb., **169–179**
implantation technique, *1981*: Feb., 175–177
vs. inflatable, for impotence, *1981*: Feb., 174–175
Penile tumescence, nocturnal, in impotence, *1981*: Feb., 115, **119–134,** 158–159
Penis, anatomy of, *1981*: Feb., 79–81, 93–94, 154–156
blood pressure measurement of, *1981*: Feb., 110–111, 160–161
curvature of. See *Chordee.*
development of, *1983*: Aug., 543–544
embryology of, *1981*: Oct., 383–384
erection of. See *Penile erection.*

Penis (*Continued*)
hypospadiac defect of. See *Hypospadias.*
pulse volume recordings in, *1981*: Feb., 112, 161–163
scrotal engulfment of, *1982*: June, **305–310**
Percutaneous nephrostomy, *1982*: Feb., **15–29,** 55–57; *1983*: Feb., 167–168
Argyle catheter for drainage, *1982*: Feb., **61–63**
circle tube for drainage, *1982*: Feb., **69–73.** See also *U-loop nephrostomy.*
for pyonephrosis, *1982*: Feb., 24
for septic obstruction, *1982*: June, 302
for supravesical obstruction, *1982*: Feb., 23
for supravesical urine leak, *1982*: Feb., 26
for urinary diversion in cancer patients, *1982*: Feb., **79–83**
in management of ureteral calculi, *1982*: Feb., **137–143**
indications, *1982*: Feb., 23–26
reestablishment of tract, *1982*: Feb., **75–78**
Stamey (Malecot) catheter for drainage, *1982*: Feb., **65–67**
ureteral catheterization and, *1982*: Feb., 31–35
Percutaneous pyeloureteral urodynamics, *1982*: Feb., **41–49**
interpretation of data, *1982*: Feb., 44–45
pathophysiology evaluated by, *1982*: Feb., 45–47
technique, *1982*: Feb., 42–44
Percutaneous renal procedures, pediatric, complications of, *1983*: Aug., **563–571**
Percutaneous transluminal angioplasty, of renal artery, *1982*: Feb., **169–175**
catheter exchange technique, *1982*: Feb., 170
co-axial techniques, *1982*: Feb., 169
complications, *1982*: Feb., 174
in atherosclerotic disease, *1982*: Feb., 172
in fibromuscular disease, *1982*: Feb., 172
preshaped catheter technique, *1982*: Feb., 170
Perfusion, ureteral, complications in children, *1983*: Aug., 566
Pericarditis, in dialysis patients after surgery, *1983*; Feb., 45
Perinephric abscess, *1982*: June, 225
Perineum, anatomy of, *1982*: June, 237–239
infection of, acute, *1982*: June, **237–243**
urethrostomy, in hypospadias repair, *1981*: Oct., 556–557, 573–576
Perioperative assessment of urologic patient, *1983*: Feb., **3–17**
Perioperative care of urologic patient, symposium on, *1983*: Feb., **3–198**
Peritoneal dialysis, *1983*: May, **357–364**
continuous ambulatory, *1983*: May, 359–364
intermittent, *1983*: May, 357–359
Peritonitis, in continuous ambulatory peritoneal dialysis, *1983*: May, 361–362
Periurethral abscess, *1982*: June, 239
Peyronie's disease, impotence and, *1981*: Feb., 82
inflatable penile prosthesis for, *1981*: Feb., 189–193
surgery for, *1982*: Feb., **199–201**
Phallodynamics. See also specific types of penile studies.
in impotence, *1981*: Feb., 110–112, 115, 119–134, 158–163, 183
Pheochromocytomas, surgery and, *1983*: Feb., 15–16
Phosphates, for calcium stone disease, *1983*: Nov., 607, 610
Plasmatic factors, in intrinsic coagulation, *1983*: Feb., 81
Platelets, in intrinsic coagulation, *1983*: Feb., 80–81
Plethysmography, *1983*: Feb., 103–104
penile, *1981*: Feb., 112, 161–163
Pneumopyelography, for intraoperative localization of calculi, *1983*: Nov., 634

Polyarteritis, relation to renal transplantation, *1983*: May, 222
Polycystic kidney disease, renal transplantation and, *1983*: May, 222
Polyethylene pigtail stent, *1982*: Feb., **95–101**
Polystyrene sodium sulfonate, for acute hyperkalemia, *1983*: Feb., 13
Positive end-expiratory pressure, *1983*: Feb., 67–73
effect on invasive monitoring, *1983*: Feb., 28–29
Posterior lumbotomy, *1983*: Aug., **573–579**
for renal calculi, *1983*: Nov., 622, **625–628**
Posterior urethral valves, surgery for, *1983*: Aug., 420, **519–530**
Postobstructive diuresis, *1983*: Feb., 169–170
Potassium balance, perioperative, *1983*: Feb., 11–13
Prader-Willi syndrome, *1982*: Oct., 340
Precordial thump, *1983*: Feb., 179
Prednisone, in renal transplantation, with azathioprine and antilymphocyte globulin, *1983*: May, 253–259
with cyclosporine for immunosuppression, *1983*: May, 265, 269–270
with total lymphoid irradiation, *1983*: May, 282, 283, 285
Prentiss technique for orchiopexy, *1982*: Oct., 425
Prepuce, "two-faced," in hypospadias repair, *1981*: Oct., 472–480
vascularization of, in hypospadias repair, *1981*: Oct., 472
Preputial island flap techniques, transverse, for hypospadias repair, *1981*: Oct., 500–501
Preputial pedicle flap procedure, in repair of severe hypospadias, *1981*: Oct., 423–429
Priapism, *1982*: June, **255–257**
Propanolol, perioperative use, *1983*: Feb., 6, 57
Prostatectomy, radical retropubic, *1983*: Feb., **187–198**
Prostatic cancer, surgery for, *1983*: Feb., **187–198**
Prosthesis, penile. See *Penile prosthesis*.
Protein-calorie malnutrition, *1983*: Feb., 110, 112
Proteinuria in rheumatoid arthritis, HLA typing and, *1983*: May, 239
Prothrombopenic agents, for venous thrombosis, *1983*: Feb., 104–105
Prune-belly syndrome, *1982*: June, 297, Oct., 342; *1983*: Aug., 420
Pseudohermaphroditism, cryptorchidism and, *1982*: Oct., 340–341, 358
PTT test, *1983*: Feb., 81, 83–85
Pulmonary arterial pressure monitoring, *1983*: Feb., 26–30
Pulmonary care, perioperative, *1983*: Feb., **65–75**
Pulmonary complications, after anatrophic nephrolithotomy, *1983*: Nov., 672–673
after pyelolithotomy, *1983*: Nov., 657
Pulmonary edema, after congestive heart failure, *1983*: Feb., 52
caused by acute renal failure, *1983*: Feb., 47
mechanical ventilation and, *1983*: Feb., 71
Pulmonary embolism, perioperative management, *1983*: Feb., **101–108**
Pulmonary function, preoperative assessment, *1983*: Feb., 65–67
Pulmonary function tests, *1983*: Feb., 66–67
Pulmonary wedge pressure monitoring, *1983*: Feb., 26–30
Pulse volume recorder, penile, in impotence, *1981*: Feb., 112, 161–163
Pyelocalciceal lithotomy, technique of, *1983*: Aug., 578
Pyelography, antegrade, complications in children, *1983*: Aug., 563–566
retrograde and antegrade, in renal transplantation, *1983*: May, 305
Pyelolithotomy, 1981: June, 272, *1983*: Aug., 578; Nov., **649–658**
coagulum, 1981: June, 313–317, *1983*: Nov., **659–664**
extended, *1983*: Nov., 650–653
simple, *1983*: Nov., 650
Pyelonephritis, acute, *1982*: June, 219
after antireflux surgery, *1983*: Aug., 492
Pyelonephrolithotomy, *1981*: Oct., **585–590**; *1983*: Nov., 653–656
Pyeloplasty, complications of, *1983*: Aug., **385–397**
universal stenting after, *1982*: Feb., 105–106
Pyelopyelostomy for ectopic ureterocele, *1983*: Aug., 447
Pyelostomy, cutaneous, *1983*: Aug., 436–438
for posterior urethral valves, *1983*: Aug., 529
Pyelotomy, lower pole, to remove renal calculi, *1981*: Oct., 587, 588
Pyeloureterostomy, for ectopic ureterocele, *1983*: Aug., 447
Pyonephrosis, *1982*: June, 228
percutaneous nephrostomy for, *1982*: Feb., 24
Pyosemia, in infertility, *1981*: Feb., 36, 70

RADIATION, effect on fertility, *1981*: Feb., 20, 196
Radiofibrinogen leg scanning, *1983*: Feb., 103–104
Radiography, in infection calculi, *1981*: June, 270
Radionuclide scanning, in obstructive uropathy, *1983*: Feb., 165
Rear tip extender, for inflatable penile prosthesis, *1981*: Feb., 185–187
Red cell antigens, in renal transplantation, *1983*: May, 238
Reflux, after urinary undiversion, *1983*: Aug., 487
caused by ureteral duplication, *1983*: Aug., 423
vesicoureteral, after antireflux surgery, *1983*: Aug., 489, 491–492
in pyeloplasty, *1983*: Aug., 388
ureterovesical, after posterior urethral valve surgery, *1983*: Aug., 523
Renal, See also *Kidney*.
Renal abscess, *1982*: June, 222
diagnosis by computed tomography and ultrasonography, *1982*: Feb., 186–190
drainage, *1982*: Feb., 190–192
Renal allograft rejection, *1983*: Feb., 155–156
Renal anomalies, cryptorchidism and, *1982*: Oct., 343
Renal artery, aneurysm of, *1982*: June, 209
percutaneous transluminal angioplasty, *1982*: Feb., **169–175**. See also *Percutaneous transluminal angioplasty, of renal artery*.
thrombosis of, transplantation and, *1982*: June, 216
Renal calculi. See under *Calculi*.
Renal candidiasis, *1982*: Feb., 161–162
Renal colic, recurrent, with nephrolithiasis, autotransplantation and pyelovesicostomy for, *1981*: June, 302
Renal failure, acute tubular necrosis and, *1983*: Feb., 45, 49
after posterior urethral valve surgery, *1983*: Aug., 524
after small intestine bypass, *1981*: June, 347, 349
caused by surgery, *1983*: Feb., 45–49
complications of, *1983*: Feb., 47–48
diagnosis of, *1983*: Feb., 46
dialysis versus transplantation for, *1983*: May, 217
pediatric, *1983*: Feb., 143
perioperative management of, *1983*: Feb., **35–50**
treatment of, *1983*: Feb., 47
Renal function, in parenteral nutrition, *1983*: Feb., 125
Renal insufficiency, perioperative management of, *1983*: Feb., 35–43

Renal lithiasis. See also *Calculi.*
symposia on, *1981:* June, **207–366**; *1983:* Nov., **583–750**
Renal pelvis, vascularization of, *1983:* Aug., 387
Renal transplantation, *1983:* Feb., **149–159**
autotransplantation of kidney and ileal ureter in patients with calculi, *1983:* Nov., **685–697**
antilymphocyte globulin in, *1983:* Feb., 154, May, **253–262**
azathioprine in, *1983:* Feb., 153
blood transfusions in, *1983:* Feb. 152; May, **243–252**
complications of, *1983:* Feb., 156–157
corticosteroids for, *1983:* Feb., 154
current results and future expectations, *1983:* May, **337–346**
cyclosporine in, *1983:* Feb., 154, May, 260, **263–275**
donor selection, *1983:* Feb., 150–152
transplantation, emergencies in, *1982:* June, **215–218**
evaluation and selection of candidates, *1983:* May, **217–229**
graft irradiation, *1983:* Feb., 154
graft rejection, *1982:* June, 216; *1983:* Feb., 155–156
graft rupture, *1982:* June, 216
histocompatibility testing in, *1983:* May, **231–242**
immunologic monitoring of transplant recipient, *1983:* May, **315–325**
immunosuppression, *1983:* Feb., 153–155
monoclonal antibodies in, *1983:* May, **289–299**
pelvic imaging techniques in, *1983:* May, **301–313**
place in practice of urology, *1983:* May, **369–370**
preparation of transplant recipient, *1983:* May, 225–227
psychosocial aspects, *1983:* May, **327–335**
risk factors, *1983:* May, 218–219
sexual dysfunction in, *1983:* May, 330
surgical technique, *1983:* Feb., 152–153
symposium on, *1983:* May, **203–379**
total lymphoid irradiation in, *1983:* May, **277–288**
Renal vein, thrombosis of, bilateral, in children, *1982:* June, **279–283**
Renal diagnostic procedures, pediatric percutaneous, complications of, *1983:* Aug., **563–571**
Renal tubular acidosis, nephrolithiasis and, *1981:* June, 260
Renography, diuretic, for urine transport studies, *1982:* Feb., 41–42
isotope, in renal transplantation, *1983:* May, 302–303
radionuclide, for urine transport studies, *1982:* Feb., 41–42
Renovascular disease, and staghorn calculus, extracorporeal surgery and autotransplantation for, *1981:* June, 302
Renovascular emergencies, *1982:* June, **209–214**
Renovascular trauma, *1982:* June, 212
Respiratory care, perioperative, *1983:* Feb., **65–75**
Retention, urinary, after circumcision, *1983:* Aug., 546
Retraction, testicular, *1982:* Oct., 362
after orchiopexy, *1983:* Aug., 540
Retrograde pyelography, *1983:* May, 305
Retroperitoneal abscess, diagnosis by computed tomography and ultrasonography, *1982:* Feb., 186–190
drainage, *1982:* Feb., 190–192
contraindications, *1982:* Feb., 192
indications, *1982:* Feb., 192
Retroperitoneal fluid collection, complications in children, *1983:* Aug., 569
Rhabdomyolysis, *1982:* June, **267–273**
Rickettson tube, in hypospadias repair, *1981:* Oct., 543
Ringer's lactate, for hypovolemic shock, *1983:* Feb., 90
for septic shock, *1983:* Feb., 96
Risk evaluation, for urologic surgery, *1983:* Feb., 3–8
Rosette assays, *1983:* May, 289–290, 319–320
Rupture, of bladder, *1982:* June, **293–296**

SCLERODERMA, in renal transplantation, *1983:* May, 222
Scrotal flap, asymmetric, in hypospadias repair, *1981:* Oct., 410
Scrotum, engulfment of, surgical revision, *1982:* June, **305–310**
exploration of, in infertility, *1981:* Feb., 31–32
swelling of, *1982:* June, 240
after orchiopexy, *1983:* Aug., 540
transposition, with perineal hypospadias, repair of, *1981:* Oct., **531–537**
Semen, analysis, effect of varicocele on, *1981:* Feb., 44–45
in infertility, *1981:* Feb., 18, 25–30
split ejaculate technique for, *1981:* Feb., 31
volume and viscosity of, *1981:* Feb., 11–12
Seminiferous tubules, basement membrane of, in cryptorchidism, *1982:* Oct., 349
Sepsis, as cause of shock, *1983:* Feb., 95–98
from obstructive uropathy, *1983:* Feb., 165–166
perioperative, *1983:* Feb., **131–137**
urologic, *1982:* June, **259–266**
Septic obstruction, uremia and, in infants, *1982:* June, **297–303**
Sexual dysfunction, in renal transplant recipients, *1983:* May, 330
male, classification of, *1981:* Feb., 115–117
symposium on, *1981:* Feb., **1–202**
Shock, anaphylactic, *1983:* Feb., 99
cardiogenic, *1983:* Feb., 91–94
endocrine, *1983:* Feb., 98
hypovolemic, *1983:* Feb., 89–91
neurogenic, *1983:* Feb., 98
perioperative, management of, *1983:* Feb., **89–100**
septic, *1983:* Feb., 95–98
Shock waves, electrohydraulic, to destroy urinary calculi, *1981:* June, 291–293; *1983:* Nov., 723, **743–750**
Slow continuous ultrafiltration, *1983:* May, 355
Small-Carrion penile prosthesis, *1981:* Feb., 170, 171, 173
Smith universal stents, *1983:* Feb., 169
Sodium bicarbonate, for acute hyperkalemia, *1983:* Feb., 13
in cardiopulmonary resuscitation, *1983:* Feb., 181
Sodium cellulose phosphate, for calcium stone disease, *1981:* June, 250; *1983:* Nov., 606–607
Sperm, maturation of, *1981:* Feb., 9–10
morphology of, *1981:* Feb., 30
transport of, *1981:* Feb., 9
viability of, in infertility, *1981:* Feb., 28–29
Sperm agglutination, in infertility, *1981:* Feb., 35, 73–75
Sperm antibodies, *1981:* Feb., 12, 73–75
Sperm capacitation, *1981:* Feb., 13, 72–73
Sperm count, in infertility, *1981:* Feb., 28
Sperm granuloma, after vasectomy, *1981:* Feb., 59–61, 73–74
Sperm immobilization, in infertility, *1981:* Feb., 35, 73–75
Sperm motility, in infertility, *1981:* Feb., 29
objective measurement of, *1981:* Feb., 71–72
Spermatic cord, torsion of, *1982:* June, **245–250**
Spermatic vein, anatomy of, *1981:* Feb., 41–42
clinical evaluation of, *1981:* Feb., 66
venography of, for varicocele, *1981:* Feb., 65
Spermatogenesis, pathophysiology of, *1981:* Feb., 7–9

Sphincter, artificial urinary, complications of, *1983:* Aug., **551–555**
Splenectomy, before renal transplantation, indications for, *1983:* May, 226
Splints in pyeloplasty, *1983:* Aug., 390–393
Spontaneous blastogenesis assay, *1983:* May, 321
Staghorn calculus, anatrophic nephrolithotomy for, 1983: Nov., 669
  extracorporeal surgery and autotransplantation for, *1981:* June, 300–302
Stamey (Malecot) catheter, for nephrostomy drainage, *1982:* Feb., **65–67**
Stenosis, after cutaneous vesicostomy, *1983:* Aug., 505
  renal pelvic, with nephrolithiasis, extracorporeal renal surgery and autotransplantation for, *1981:* June, 300
Stent. See specific type, e.g., *Gibbons stent*
Stenting, ureteral, *1983:* Feb., 168–169
Stents in pyeloplasty, *1983:* Aug., 390–393
Steroids, use during surgery, *1983:* Feb., 15
Stone baskets, *1983:* Nov., 711–713
Stone manipulation. See *Calculi, transurethral manipulation of.*
Stones. See *Calculi.*
Stone formation, after pyeloplasty, *1983:* Aug., 394
  after urinary undiversion, *1983:* Aug., 487
  caused by intermittent catheterization, *1983:* Aug., 560
Storage of cadaver kidneys, *1983:* May, 210
Storz rigid nephroscope, *1982:* Feb., 52–53
Stress, effect on fertility, *1981:* Feb., 20, 36, 195–196
  seminal, experimental model for, *1981:* Feb., 67–68
Stricture, after urinary undiversion, *1983:* Aug., 486
  urethral, from urethroplasty, *1981:* 499
    in children, management of, *1983:* Aug., 531–536
Struvite calculi. See *Infection calculus.*
Suppressor cell assay, *1983:* May, 320
Supravesical obstruction, percutaneous nephrostomy for, *1982:* Feb., 23
Supravesical urine leak, percutaneous nephrostomy for, *1982:* Feb., 26
Surgery, assessment of urologic patient for, *1983:* Feb., **3–17**
  approaches to, for renal and ureteral calculi, *1983:* Nov., **617–623**
  care of patient during, symposium on, *1983:* Feb., **3–198**
  for calculi, symposium on, *1983:* Nov., **583–750.** See also *Calculi, surgery for,* and specific procedures.
  pediatric urologic, *1983:* Feb., **139–148**
    complications of, symposium on, *1983:* Aug., **383–571.** See also under specific surgical procedures.
    for calculi, *1983:* Nov., **645–648**
Surgitek Flexi-Rod penile prosthesis, *1981:* Feb., 171, 173
Syndromes, genetic, cryptorchidism and, *1982:* Oct. 339–340
  Kallmann's, *1982:* Oct., 340
  Prader-Willi, *1982:* Oct., 340
  prune-belly, *1982:* June, 297; *1982:* Oct., 342
Systemic lupus erythematosus, HLA typing and, *1983:* May, 239
  relation to renal transplantation, *1983:* May, 222

"TAILS of Lockwood," *1982:* Oct., 315
T-cell crossmatching in renal transplantation, *1983:* May, 236
T-cell rosettes, *1983:* May, 321
T-mycoplasma, in infertility, *1981:* Feb., 70–71
Terminal loop cutaneous ureterostomy, *1983:* Aug., 443
Testis, anatomy of, *1982:* Oct., 365
  atrophy of, after orchiopexy, *1983:* Aug., 537
  cancer of, lymphadenectomy for, *1983:* May, **371–379**
  cryptorchid, symposium on, *1982:* Oct., **315–440**
  descent of, embryology of, *1982:* Oct., **315–325,** 361
    spontaneous, *1982:* Oct., 362
    timing of, *1982:* Oct., 327–328
  dystopic, *1982:* Oct., 362
  ectopic, *1982:* Oct., 324–325, 364
  effect of varicocele on, *1981:* Feb., 43
  histology of, *1982:* Oct., 365–367
  maldescent, unilateral, types of, *1982:* Oct., 362–364. See also *Cryptorchidism.*
  normal, morphology of, *1982:* Oct., 332
  obstructed, *1982:* Oct., 364
  retraction of, *1982:* Oct., 362
    after orchiopexy, *1983:* Aug., 540
  torsion of, *1982:* June, **245–250**
    in orchiopexy, *1983:* Aug., 538
Testosterone, measurement of, in impotence, *1981:* Feb., 87, 109–110, 143–144, 147
Testosterone, plasma, testicular descent and, *1982:* Oct., 328, 354
Testosterone therapy, for infertility, *1981:* Feb., 200
  rebound, for infertility, *1981:* Feb., 201
Thiazides, for calcium stone disease, *1981:* June, 250; *1983:* Nov., 607
Thiersch-Duplay skin tube, in hypospadias repair, *1981:* Oct., 532, 536, 543
Third-party blood transfusions, in renal transplantation, *1983:* May, 249–250
Thoracoabdominal retroperitoneal lymphadenectomy for testicular cancer, *1983:* May, **371–379**
Thrombin, formation of, *1983:* Feb., 77
Thrombin time test, *1983:* Feb., 84
Thromboembolic disease, perioperative management, *1983:* Feb., 8–9, **101–108**
Thrombolytic therapy, *1983:* Feb., 106
Thrombosis, deep venous, perioperative management of, *1983:* Feb., **101–108**
  renal artery, in transplantation, *1982:* June, 216
  renal vein, in children, *1982:* June, **279–283**
Thyroid therapy, for infertility, *1981:* Feb., 199
T-lymphocytes, in renal transplantation, *1983:* May, 291–296, 315
Torsion, cryptorchidism and, *1982:* Oct., 346, 372
  of spermatic cord, *1982.* June, **245–250**
  testicular, during orchiopexy, *1983:* Aug., 538
Total lymphoid irradiation, in renal transplantation, *1983:* May, **277–288**
Trace elements, parenteral nutrition and, *1983:* Feb., 123
Transplantation, renal. See *Renal transplantation.*
Transureteroureterostomy, *1982:* June, 289; *1983:* Aug., 439–442
Trauma, renovascular, *1982:* June, 212
  urethral, *1982:* June, **251–254**
Tumescence, penile, nocturnal, in impotence, *1981:* Feb., 115, **119–134,** 158–159
Tumor, adenocarcinoma after ureterosigmoidostomy, *1983:* Aug., 478
  Wilms', *1983:* Aug., **399–406, 407–415**

U-LOOP nephrostomy, *1982:* Feb., **69–73**
Ultrasonic lithotripsy, to destroy urinary calculi, *1982:* Feb., **145–151;** *1983:* Nov., 723, **729–742**

Ultrasonography, for intraoperative localization of calculi, *1981:* June, **319–329;** *1983:* Nov., 630–634
for percutaneous destruction of renal calculi, *1982:* Feb., **145–150;** *1983:* Nov., 723, **729–742**
for renal and retroperitoneal abscess, *1982:* Feb., **185–193**
in obstructive uropathy, *1983:* Feb., 164
in renal transplantation, *1983:* May, 305, 307
Undiversion of urine, *1983:* Aug., 462, 470, **483–488**
Universal stent, *1982:* Feb., **103–107**
for internal drainage, *1982:* Feb., 103–105
for ureterovesical and ureterointestinal anastomoses, *1982:* Feb., 106
use after pyeloplasty, *1982:* Feb., 105–106
Urease, bacterial, in infection lithiasis, *1981:* June, 267–277
Urease inhibitors, for infection calculi, *1981:* June, 271
Uremia, complications of, *1982:* June, **275–278**
in infants, *1982:* June, **297–303**
Ureter, allograft, catheterization, *1982:* Feb., 166
anatomy of, *1982:* Feb., 12; *1983:* Nov., 699
atony of, after antireflux surgery, *1983:* Aug., 495
calculi in, controlled retrograde manipulation, *1982:* Feb., 137–139
electrohydraulic shock wave treatment of, *1983:* Nov., 749
noncystoscopic retrograde manipulation, *1982:* Feb., 139
surgery for, *1983:* Nov., **699–708**
transurethral manipulation of, *1981:* June, 288–291; *1983:* Nov., **709–717**
ultrasonic lithotripsy for, *1983:* Nov., 736–741
catheterization, applications of, *1982:* Feb., 36–39
technique, *1982:* Feb., 34–35
dilatation of, surgery for, *1983:* Aug., **417–422**
duplication of, surgery for, *1983:* Aug., **423–431**
fistula, in renal transplantation, *1982:* June, 217
injured, emergency management of, *1982:* June, **285–291**
kinking of, after pyeloplasty, *1983:* Aug., 395
meatotomy of, for ureteral calculi, *1982:* Feb., 140; *1983:* Nov., 715
obstruction of, after antireflux surgery, *1983:* Aug., 493
from aortic graft, *1982:* June, 210
in renal transplantation, *1982:* June, 217
percutaneous approach to, *1982:* Feb., **31–40**
perfusion of, complications in children, *1983:* Aug., 566
stricture of, after posterior urethral valve surgery, *1983:* Aug., 520
Ureteral stent. See also under specific type, e.g., *Gibbons stent.*
Diversion, *1982:* Feb., 93–94
double-J, *1982:* Feb., **89–94**
Gibbons, *1982:* Feb., **85–87**
polyethylene pigtail, *1982:* Feb., **95–101**
retrieval, *1982:* Feb., **109–119**
by capturing tail, *1982:* Feb., 109
through nephrostomy tract, *1982:* Feb., 111
with balloon catheter, *1982:* Feb., 110–111
with hooks, *1982:* Feb., 109–110
with pyeloureteroscope, *1982:* Feb., 111
universal, *1982:* Feb., **103–107**
Ureterectomy for ectopic ureterocele, *1983:* Aug., 447
Ureterocele, caused by ureteral duplication, *1983:* Aug., 423
ectopic, *1982:* June, 297; *1983:* Aug., 421
surgery for, *1983:* Aug., **445–449**
Ureteroileosigmoidostomy, *1983:* Aug., 474
Ureterointestinal calculi, controlled manipulation, *1982:* Feb., 141
Ureterointestinal meatotomy, controlled, *1982:* Feb., 141
Ureterolithotomy, technique of, *1983:* Aug., 575
Ureteroneocystostomy, *1982:* June, 289
Ureteropelvic junction obstruction, *1983:* Aug., 385–387, 431
Ureteropyeloplasty, technique of, *1983:* Aug., 575
Ureterorenoscopy, *1982:* Feb., **131–136**
for ureteral calculi, *1981:* June, 290–291
Ureterosigmoidostomy, *1983:* Aug., 467, 473–481
rectal bladder with separate colostomy, *1983:* Aug., 475
staged with colon conduit, *1983:* Aug., 473–474
Ureterostomy, cutaneous, complications of, *1983:* Aug., **433–443**
end cutaneous ureterostomy, *1983:* Aug., 438–439
for posterior urethral valves, *1983:* Aug., 528
loop cutaneous ureterostomy, *1983:* Aug., 433–436
pyelostomy, *1983:* Aug., 436–438
terminal loop cutaneous ureterostomy, *1983:* Aug., 443
transureteroureterostomy, *1983:* Aug., 439–441
Y-ureterostomy, *1983:* Aug., 436
Ureteroureterostomy, *1982:* June, 288
for urinary diversion, *1983:* Aug., 484
Ureterovesical junction obstruction, after posterior urethral valve surgery, *1983:* Aug., 523
Ureterovesical reflux, after posterior urethral valve surgery, *1983:* Aug., 523. See also *Vesicoureteral reflux.*
Urethra, anterior, mobilization, in one-stage urethroplasty, *1981:* Oct., **521–525**
catheterization of, in hypospadias repair, *1981:* Oct., 549
congenitally short, with chordee, *1981:* Oct., 385
fistulous, from urethroplasty, *1981:* Oct., 398, 415–416, 424, 447, 448, 468, 488–489, 499, 540, 542, 582–583
hypoplastic, primary chordee and, *1981:* Oct., 390–391
Cecil repair of, *1981:* Oct., 391–394
hypospadiac. See *Hypospadias.*
management of, in radical cystectomy, *1981:* June, 364–365
stricture of, from urethroplasty, *1981:* 499
in children, management of, *1983:* Aug., **531–536**
percutaneous techniques for, *1982:* Feb., 166
trauma, *1982:* June, **251–254**
Urethral valves, posterior, *1982:* June, 297
surgery for, *1983:* Aug., 420, **519–530**
Urethroplasty. See also specific techniques.
Allen-Spence technique, for coronal hypospadias and chordee, *1981:* Oct., 397, 518
Belt-Fuqua technique, for hypospadias, *1981:* Oct., **431–450**
bladder mucosal graft technique for hypospadias, *1981:* Oct., 457–462, **463–470**
Broadbent technique, for hypospadias, *1981:* Oct., 476, 478, **483–489**
Cecil technique, for chordee with hypoplastic urethra, *1981:* Oct., 391–394
cutaneous chordee and, *1981:* Oct., **397–402**
Denis-Browne technique, for hypospadias, *1981:* Oct., 403, 408, 468, 477, 543
Devine-Horton technique, for hypospadias, *1981:* Oct., 398, 491–500, 518, 521, 527, 543
Duckett technique, for hypospadias, *1981:* Oct., 480, 500–501, **503–511, 513–519**
Durham Smith technique, for hypospadias, *1981:* Oct., **451–455**
for childhood urethral strictures, *1983:* Aug., 533

Urethroplasty (*Continued*)
for hypospadias, age and, *1981:* Oct., 576–577
dressings in, *1981:* Oct., 440, 515, **545–558**
failed, *1981:* Oct., **539–544**
in adults, *1981:* 416
principles of, *1981:* Oct., 404–414, 422–423, 448
urinary diversion in, *1981:* Oct., **545–558**
with simultaneous repair of scrotal transposition and chordee, *1981:* Oct., **531–537**
Hodgson technique, for hypospadias, *1981:* Oct., 398, **471–481**
King technique, for repair of distal shaft hypospadias, *1981:* Oct., **397–402,** 474, 518
Marberger technique, for hypospadias, *1981:* Oct., **403–419**
Marshall-Spence technique, for hypospadias, *1981:* Oct., 457, 458
Mathieu technique, for hypospadias, *1981:* Oct., 517–518
modified Grob technique, for hypospadias, *1981:* 424–430
one-stage, bladder mucosal graft technique, for hypospadias, *1981:* Oct., **463–470**
flip-flap, for distal hypospadias, *1981:* Oct., **527–530**
free full thickness skin graft and island flap techniques, *1981:* Oct., **491–501**
mobilization of anterior urethra in, *1981:* Oct., **521–525**
modified, for hypospadias, *1981:* Oct., 578–580
preputial pedicle flap procedure, for severe hypospadias, *1981:* Oct., 423–429
vascularized flap technique, for hypospadias, *1981:* Oct., **471–481**
with penoscrotal transposition, *1981:* Oct., 411–413
Urethrostomy, perineal, in hypospadias repair, *1981:* Oct., 556–557, 573–576
Urethrotomy, for childhood urethral strictures, *1983:* Aug., 533
Uric acid, excess, and calcium nephrolithiasis, *1981:* June, **227–244,** 259–260
heterogeneous nucleation of, *1981:* June, 230, 233–238
undissociated, urinary supersaturation with, *1981:* June, 228, 230
Urinary diversion, cutaneous, *1983:* Aug., **433–443, 451–471**
in cancer patients, *1982:* Feb., **79–84**
preliminary, *1983:* Aug., 419
temporary, *1983:* Aug., 527–529
Urinary sphincter, artificial, complications of, *1983:* Aug., **551–555**
Urinary tract, anomalies of, with hypospadias, *1981:* Oct., **565–571**
diversion, in hypospadias repair, *1981:* Oct., **545–558**
in one-stage urethroplasty, *1981:* 464, 483, 497
Urinary tract infection, after antireflux surgery, *1983:* Aug., 492
caused by, intermittent catheterization, *1983:* Aug., 558
following renal and ileal ureter autotransplantation, *1983:* Nov., 696
in renal transplant patient, *1983:* May, 225
nephrolithiasis and, evaluation and management, *1981:* June, 260, **265–276**
perioperative management, *1983:* Feb., 135–136
Urinary tract obstruction, correction before renal transplantation, *1983:* May, 227
Urine, leakage of, after pyeloplasty, *1983:* Aug., 393
rediversion into colon, *1983:* Aug., 467–469
retention of, *1983:* Aug., after circumcision, 546
percutaneous management, *1982:* Feb., 165
Urine (*Continued*)
temporary diversion of, *1983:* Aug., 527–529
undiversion of, *1983:* Aug., 462, 470, **483–488**
Urine flow, obstructed, management of, *1983:* Feb., **161–173**
Urinoma, after pyeloplasty, *1983:* Aug., 393
Urodynamics, intravenous studies, *1982:* Feb., 41–42
pyeloureteral, percutaneous, *1982:* Feb., **41–49.** See also *Percutaneous pyeloureteral urodynamics.*
Urography, diuretic, for urine transport studies, *1982:* Feb., 41
intravenous, in obstructive uropathy, *1983:* Feb., 164
in renal transplantation, *1983:* May, 305
Urologic emergencies, symposium on, *1982:* June, **209–310**
Urologic sepsis, *1982:* June, **259–266**
Uropathy, obstructive, *1983:* Feb., **161–173**

VALVES, urethral, *1982:* June, 297
VACTERL association, *1983:* Feb., 139
Valves, posterior urethral, surgery for, *1983:* Aug., **519–530**
Valvular heart disease, perioperative, *1983:* Feb., 53, 57–58
Varicocele, diagnosis of, *1981:* Feb., 43–44, 64–66
infertility and, *1981:* Feb., 17–18, **41–51,** 63–68
Leydig cell function, *1981:* Feb., 66–67
percutaneous venous treatment of, *1981:* Feb., 68–70
subclinical, diagnosis of, *1981:* Feb., 64–65
scroti, *1982:* Feb., **177–184**
surgical treatment of, *1981:* Feb., 44–48
Varicocelectomy, *1981:* Feb., 44–48
Vasal abnormalities, cryptorchidism and, *1982:* Oct., 346
Vascularized flaps, in hypospadias repair, *1981:* Oct., **471–481**
Vasectomy, immunologic effects of, *1981:* Feb., 73–75
pressure-induced changes with, *1981:* Feb., 55–57
reversal, in infertility, *1981:* Feb., **53–62**
Vasoepididymostomy, microscopic, and infertility, *1981:* Feb., 53–54, 57–59
Vasovasostomy, *1981:* Feb., **53–62**
VATER association, *1983:* Feb., 139
Veins, renal, distribution of, *1981:* Oct., 586
Vena cava, invasion by Wilms' tumor, *1983:* Aug., **407–415**
Venography, *1983:* Feb., 103–104
of spermatic vein, for varicocele, *1981:* Feb., 65
of undescended testis, *1982:* Oct., **387–395**
Venous oxygen saturation, monitoring of during surgery, *1983:* Feb., 30
Ventilation, intermittent mandatory, *1983:* Feb., 73
mechanical, *1983:* Feb., 67–74
positive-pressure, *1983:* Feb., 67–71
Vesicoileosigmoidostomy, *1983:* Aug., 476
Vesicorenal reflux, following renal and ileal ureter autotransplantation, *1983:* Nov., 697
Vesicostomy, cutaneous, complications of, *1983:* Aug., **503–508**
for posterior urethral valves, *1983:* Aug., 528
Vesicoureteral reflux, during intermittent catheterization, *1983:* Aug., 558
in pyeloplasty, *1983:* Aug., 388
surgery for, *1983:* Aug., 489, 491–492. See also *Ureterovesical reflux.*
Vitamin D, activation of metabolism of, *1981:* June, 209–215

Vitamin K, as cause of coagulopathy, *1983:* Feb., 82–83
Vitamins, parenteral nutrition and, *1983:* Feb., 123
von Willebrand's disease, *1983:* Feb., 82

WARFARIN, for venous thrombosis, *1983:* Feb., 104
in coagulopathy, *1983:* Feb., 83
Weaning, of patient from mechanical ventilation, *1983:* Feb., 73–74
Wegener's granulomatosis, relation to renal transplantation, *1983:* May, 222
Wehrbein tube, in hypospadias repair, *1981:* Oct., 543
Whitaker test, *1982:* Feb., 41–48; *1983:* Aug., 566
Whole blood clot time test, *1983:* Feb., 82
Wilms' tumor, cryptorchidism and, *1982:* Oct., 346
surgery for, *1983:* Aug., **399–406, 407–415**
Wolf rigid nephroscope, *1982:* Feb., 52–53
Wound, dressings, and hypospadias repair, *1981:* Oct., **545–558**
Wound infection, perioperative management, *1983:* Feb., 134–135

X-RAYS, intraoperative, for localization of calculi, *1983:* Nov., 589, 618, 630

Y-URETEROSTOMY, *1983:* Aug., 436
Y-V meatoplasty, for hypospadias repair, *1981:* Oct., 581

ZINC, seminal, in infertility, *1981:* Feb., 31, 70